

FIG. -1A-




FIG. -1B-




FIG. -2-

0099158-11601




FIG. -3A-




FIG. -3B-




FIG. -3C-




FIG. -4-




FIG. 5




FIG. -5A-




FIG. -5B-




FIG. -6A-




FIG. -6B-




FIG. -7A-




FIG. -7B-




FIG. -7C-




FIG. -8A-




FIG. -8B-




FIG. -9A-




FIG. -9B-




FIG. -10A-




FIG. -10B-




FIG. -10C-




FIG. -11A-




FIG. -11B-




FIG. -11C-




FIG. -12A-




FIG. -12B-




FIG. -12C-




FIG. -13A-




FIG. -13B-




FIG. -13C-




FIG. -14A-




FIG. -14B-




FIG. -15A-




FIG. -15B-

A cross-sectional view of a multi-layered structure 1600. The structure consists of a top layer 1612, a middle layer 1678, and a bottom layer 1670. The top layer 1612 contains a series of loops 1620. The middle layer 1678 is a textured layer. The bottom layer 1670 is a hatched layer. The loops 1620 are formed by a material 1622 that passes through the middle layer 1678. The loops are connected to a common line 1624. A lightning bolt symbol indicates an electrical connection to the loops.

A cross-sectional view of a multi-layered structure 1610. The structure consists of several layers: a top layer 1634 with a series of vertical, wavy, finger-like projections; a middle layer 1636 with a diagonal hatching pattern; a thin layer 1638 with a dotted pattern; a layer 1678 with a diagonal hatching pattern; and a bottom layer 1670 with a wavy, undulating pattern. A bracket 1612 groups the top three layers (1634, 1636, and 1638).

FIG. -16B-

0993158-11601




FIG. -17A-




FIG. -17B-




FIG. -18A-




FIG. -18B-




FIG. -19A-




FIG. -19B-

FIG. 1840




FIG. -20-




FIG. -21-




FIG. -22-




FIG. -23-




FIG. -24-




FIG. -25-

0993158-11501




FIG. -26-





FIG. -27-






FIG. -29A- FIG. -29B-




FIG. -30-




FIG. -31-




FIG. -32-

FIG. -34-

FOOT "STEE660

HEXAPOD COMPARISON TUFTED




FIG. -35-




FIG. -36-







FIG. -37-



FIG. 38—



09993453-11601




FIG. -42-




FIG. -43-




FIG. -44-




FIG. -45-